

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	421	33/707.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/11/18 23:09
L2	3	33/707.ccls.and (deactivat \$3 inactive cover\$4 turn \$1off lock\$3 shield\$3 block \$4 turn near off limit\$3 film) near5 (one single individual) near5 (sensor photodiode) same (scan\$4 read\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/11/18 23:09
L3	257	356/616.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/11/18 23:12
L4	3	356/616.ccls.and (deactivat \$3 inactive cover\$4 turn \$1off lock\$3 shield\$3 block \$4 turn near off limit\$3 film) near5 (one single individual) near5 (sensor photodiode) same (scan\$4 read\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/11/18 23:12
S198	0	(increment\$5 reference) near5 (mark track) near10 one near2 senosor near5 scan\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/11/10 16:28
S199	16	(increment\$5 reference) near5 (mark track) near10 one near2 sensor near5 scan\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/11/10 16:29
S200	3	sensor near10 (deactivat \$4) same (reference increment\$5) near10 (mark track)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/10 17:24
S201	115	sensor near5 (deactivat \$4) and (reference increment\$5) near10 (mark track)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/10 17:25

S202	3	sensor near5 (deactivat \$4) and (reference increment\$5) near10 (mark track) and "33".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/10 17:25
S203	4	sensor near5 (deactivat \$4) and (reference increment\$5) near10 (mark track) and "356". clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/10 17:25
S204	1	sensor near5 (deactivat \$4) same (reference increment\$5) near10 (mark track) and "356". clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/10 17:28
S205	4	((HERBERT) near2 (MAUERBERGER)).INV.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/11/10 17:30
S206	3	sensor near5 (deactivat \$4) and (reference increment\$5) near10 (mark track) and "33".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/10 17:36
S208	9	sensor near5 (deactivat \$4) and (reference increment\$5) near10 (mark track) and "235". clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/10 17:37
S209	16	(increment\$5 reference) near5 (mark track) near10 (one single) near2 sensor near5 scan\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/11/10 17:38
S210	222	(increment\$5 reference) near5 (mark track) near10 (one single) near2 sensor	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/11/10 17:38
S211	16	S210 and "33".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/11/10 17:39
S212	30	S210 and "250".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/11/10 17:41
S213	223	(increment\$5 reference) near5 (mark track) near10 (one single) near2 (sensor photodiode)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/11/10 17:58
S214	28	(increment\$5 reference) near5 (mark track) near10 (one single) near2 (sensor photodiode)near5 (read\$3 scan\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/11/10 17:58

S215	32	(increment\$5 reference) near5 (mark track scale) near10 (one single) near2 (sensor photodiode)near5 (scan\$4 read\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/11/12 10:23
S216	1	(increment\$5 reference) near5 (mark track scale) near10 (deactivat\$3) near2 (sensor photodiode) near5 (scan\$4 read\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/11/12 10:51
S217	1	(increment\$5 reference) near5 (mark track scale) and (deactivat\$3) near2 (sensor photodiode)near5 (scan\$4 read\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/11/12 10:53
S218	1	(increment\$5 reference) near5 (mark track scale) and (deactivat\$3) near2 (sensor photodiode)near5 (scan\$4 read\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/11/12 10:54
S219	2	(increment\$5 reference) near5 (mark track scale) and (deactivat\$3) near5 (sensor photodiode)near5 (scan\$4 read\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/11/12 10:54
S222	21	(Increment\$5 reference) near5 (mark track scale) and (deactivat\$3 inactive cover turn\$1off lock\$3 shield\$3 block\$4 turn near off limit\$3) near5 (one single) near5 (sensor photodiode)near5 (scan\$4 read\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/11/12 14:44
S223	21	(Increment\$5 reference) near5 (mark track scale) and (deactivat\$3 inactive cover\$4 turn\$1off lock\$3 shield\$3 block\$4 turn near off limit\$3) near5 (one single) near5 (sensor photodiode)near5 (scan\$4 read\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/11/12 14:44
S224	98	(increment\$5 reference) near5 (mark track scale) and (deactivat\$3 inactive cover\$4 turn\$1off lock\$3 shield\$3 block\$4 turn near off limit\$3) near5 (one single) near5 (sensor photodiode) same (scan\$4 read\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/11/12 15:01

S225	1694	(deactivat\$3 inactive cover \$4 turn\$1off lock\$3 shield \$3 block\$4 turn near off limit\$3) near5 (one single) near5 (sensor photodiode) same (scan\$4 read\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/11/12 15:06
S226	17	(deactivat\$3 inactive cover \$4 turn\$1off lock\$3 shield \$3 block\$4 turn near off limit\$3) near5 (one single) near5 (sensor photodiode) same (scan\$4 read\$3) and "33".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/11/12 15:08
S228	85	(deactivat\$3 inactive cover \$4 turn\$1off lock\$3 shield \$3 block\$4 turn near off limit\$3) near5 (one single) near5 (sensor photodiode) same (scan\$4 read\$3) and "356".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/11/12 15:13
S229	94	(deactivat\$3 inactive cover \$4 turn\$1off lock\$3 shield \$3 block\$4 turn near off limit\$3) near5 (one single individual) near5 (sensor photodiode) same (scan\$4 read\$3) and "356".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/11/12 15:19
S230	9	S229 not S228	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/11/12 15:19
S231	2	(increment\$5 reference) near5 (mark track scale) and (deactivat\$3 inactive cover turn\$1off lock\$3 shield\$3 block\$4 turn near off limit\$3) near5 amplifier near5 (sensor photodiode) near5 (scan\$4 read\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/11/12 15:27
S232	262	(multiple plurality) near10 (sensor readhead) same (deactivat\$3 inactive cover \$4 turn\$1off lock\$3 shield \$3 block\$4 turn near off limit\$3) near5 (one single individual) near5 (sensor photodiode) same (scan\$4 read\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/11/16 13:28

S233	433	(multiple plurality two) near10 (sensor readhead) same (deactivat\$3 inactive cover\$4 turn\$1 off lock\$3 shield\$3 block\$4 turn near off limit\$3) near5 (one single individual) near5 (sensor photodiode) same (scan\$4 read\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/11/16 13:29
S234	7	(multiple plurality two) near10 (sensor readhead) same (deactivat\$3 inactive cover\$4 turn\$1 off lock\$3 shield\$3 block\$4 turn near off limit\$3) near5 (one single individual) near5 (sensor photodiode) same (scan\$4 read\$3) and "33". clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/11/16 13:30
S235	49	(multiple plurality two) near10 (sensor readhead) same (deactivat\$3 inactive cover\$4 turn\$1 off lock\$3 shield\$3 block\$4 turn near off limit\$3) near5 (one single individual) near5 (sensor photodiode) same (scan\$4 read\$3) and "250". clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/11/16 13:34
S236	13	(multiple plurality two) near10 (sensor readhead) same (deactivat\$3 inactive cover\$4 turn\$1 off lock\$3 shield\$3 block\$4 turn near off limit\$3) near5 (one single individual) near5 (sensor photodiode) same (scan\$4 read\$3) and "235". clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/11/16 13:41
S237	28	("20040168333" "4009377" "4459750" "4519140" "4631519" "5239177" "5279044" "5572009" "5651187" "5998784" "6127948" "6158132" "6541761"). PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/11/16 13:44

S238	1	S237 and (sensor readhead) same (deactivat\$3 inactive cover\$4 turn \$1off lock\$3 shield\$3 block \$4 turn near off limit\$3) near5 (one single individual) near5 (sensor photodiode) same (scan\$4 read\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/11/16 13:50
S239	1	S237 and (sensor readhead) same (deactivat\$3 inactive cover\$4 turn \$1off lock\$3 shield\$3 block \$4 turn near off limit\$3 film) near5 (one single individual) near5 (sensor photodiode) same (scan\$4 read\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/11/16 13:51
S240	3	"20050060905"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/11/18 20:50
S241	852	33/706.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/11/18 21:08
S242	2	33/706.ccls.and (deactivat\$3 inactive cover\$4 turn \$1off lock\$3 shield\$3 block \$4 turn near off limit\$3 film) near5 (one single individual) near5 (sensor photodiode) same (scan\$4 read\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/11/18 21:09
S243	1399	250/231.13.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/11/18 21:11
S245	2	"4363964".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/11/18 21:12
S246	814	250/231.14.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/11/18 21:12
S247	3	250/231.14.ccls. and (deactivat\$3 inactive cover \$4 turn\$1off lock\$3 shield \$3 block\$4 turn near off limit\$3 film) near5 (one single individual) near5 (sensor photodiode) same (scan\$4 read\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/11/18 21:12
S248	282	356/620.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/11/18 21:14

S251	1399	250/231.13.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/11/18 21:18
------	------	------------------	--	----	----	---------------------

11/ 18/ 2009 11:47:32 PM

C:\ Documents and Settings\ sjohnson6\ My Documents\ EAST\ Workspaces\ 10789707new.wsp